

T + T


Patch Panel

Switch

Hub

Tranceiver FO

Bridge



Switch

Hub



Tranceiver
FO

Bridge

Tableau Reseau Informatique


TRI - L102

Reseau Informatique La Silla (partiel)




Couple suisse T4
Reseau Informatique
La Silla, avril 1998

M. Cransaz 98



110D Connecting Block	Wire Color	EIA - T568A Modular Jack	EIA - T568B Modular Jack
1	WHITE - BLUE	5	5
2	BLUE - WHITE	4	4
3	WHITE - ORANGE	3	1
4	ORANGE - WHITE	6	2
5	WHITE - GREEN	1	3
6	GREEN - WHITE	2	6
7	WHITE - BROWN	7	7
8	BROWN - WHITE	8	8


Figure 1



Caractéri: Technic: Technic: Technic:	• Fréquence • Toegelate: • Permissibi: • Zul. Frequ:	• Débit admis • Toegelaten vermogen • Permissible • Zul. Datendi:	• Atténuation paradiaphoni (à F max) • Near-end cro attenuation (frequency) • Übersprechdi: (bei Höchstfr:	• Pertes d'insér (à F max) • Invoergverliez maximum freq insertion loss (frequency) • Einsteckverlus (bei Höchstfr:
--	---	---	--	---

vert blanc

Paire 3



orange

Paire 2



brown blanc

Paire 4

blanc

Paire 1

bleu



Pas facile !